

---

# RoboCup Standard Platform League (NAO) Rule Book

RoboCup Technical Committee

(2015 rules, as of July 1, 2015)

Questions or comments on these rules should be mailed to  
`rc-spl-tc@lists.robocup.org`.

## Contents


<b>1</b>	<b>Setup of the Environment</b>	<b>1</b>
<b>2</b>	<b>Robot Players</b>	<b>5</b>
<b>3</b>	<b>Game Process</b>	<b>11</b>
<b>4</b>	<b>Forbidden Actions and Penalties</b>	<b>23</b>
<b>5</b>	<b>Judgment</b>	<b>31</b>
<b>A</b>	<b>Drop-in Player Competition</b>	<b>33</b>
<b>B</b>	<b>The Official RoboCup Competition Rules</b>	<b>37</b>
<b>C</b>	<b>Changes From 2014</b>	<b>40</b>

---

# 1 Setup of the Environment

## 1.1 Field Construction

The soccer field is built on a total carpet area of length 10.4 m and width 7.4 m. The dimensions of the soccer field are shown in Figure 1. The construction and placement of the goals is depicted in Figure 2 and Figure 3.



ID	Description	Length (in mm)	ID	Description	Length (in mm)
A	Field length	9000	E	Penalty area length	600
B	Field width	6000	F	Penalty area width	2200
C	Line width	50	G	Penalty mark distance	1300
D	Penalty mark size	100	H	Center circle diameter	1500
			I	Border strip width	700

Figure 1: Schematic diagram of the soccer field (not to scale) and corresponding dimensions in mm. Note that measurements on this diagram are made to the center of lines.





Figure 2: Dimensions of the goal (in mm), viewed from above, and its placement on the field.



The goalposts and crossbar are made from 3 white cylinders with a diameter of 100 mm. The net:

- has a height of 800 mm
- is of white, gray or black color
- is tightly supported via the support structure, in a way to minimize interference with the goal keeper
- has a weave with holes smaller than the ball diameter.

Figure 3: Appearance and dimensions of the goals.

The support structure for the net shall be made with small black, white, or gray bars or cylinders as shown in Figure 3.




Figure 4: Field colors and layout.

## 1.2 Throw-in Lines

In addition to the visible lines, there are two invisible lines only relevant to the throw-in procedure (see Section 3.8), but not relevant to the construction of the field. These two throw-in lines are 400 mm away from the sidelines and run parallel to them inside the playing area. Each throw-in line is 7 m long.

The throw-in lines will be marked (as dots at the end of the throw-in lines and short dashes along the line) by the technical committee at the start of competition with a felt-tip pen — these lines are intended to stay invisible to robots but provide a guide to referees.

## 1.3 Field Colors

The colors of the soccer field are shown in Figure 4. All items on the RoboCup field are color-coded:

- The field (carpet) itself is green (color is not specified, but it should not be too dark).
- The lines on the field are white.
- Goals (cf. Figure 3). The posts and top cross bar of both goals are white. The net and the support structure for the net are white, gray, or black.

---

## 1.4 Lighting Conditions

The lighting conditions depend on the actual competition site. Only ceiling lights may be used. Lighting irregularities, including changes that occur during the competition, are acceptable and will not be cause for delay. Such irregularities may include sun streaming through windows, light bulbs turning off, light bulbs being replaced, ect.

## 1.5 Venue Setup

Fields may be located close to one another. Barriers will not necessarily be constructed between adjacent fields to block the robots from seeing other fields, goals, or balls. However, barriers will be constructed to block sight between any fields that are not located at least three meters apart. Hence, for each side of a field that is adjacent to another field, either barriers will separate the fields or at least three meters will be between the carpet of adjacent fields.

## 1.6 Ball

The official ball will be a Mylec orange street hockey ball. They are 65 mm in diameter and weigh 55 grams. These are the *shiny* balls and are *not* gel-filled. They are no-bounce warm weather (60 to 75 degrees Fahrenheit) hockey balls. These balls are available at a few locations:

- [http://www.amazon.com/Mylec-Weather-Bounce-Hockey-Orange/dp/B002LBDA30/ref=sr\\_1\\_18?ie=UTF8&s=sporting-goods&qid=1259775748&sr=8-18](http://www.amazon.com/Mylec-Weather-Bounce-Hockey-Orange/dp/B002LBDA30/ref=sr_1_18?ie=UTF8&s=sporting-goods&qid=1259775748&sr=8-18)
- <http://www.puckshop.com/mylec-orange-warm-weather-ball.html>

---

## 2 Robot Players

A match is played by two teams, each consisting of not more than **5** players and a coaching robot. At most one player may be designated as *goalkeeper*, the others are all *field players*.

### 2.1 Hardware

All teams must use gray NAO humanoid robots manufactured by Aldebaran Robotics.

Absolutely no modifications or additions to the robot hardware are allowed. No additional hardware is permitted including off-board sensing or processing systems. Additional sensors besides those originally installed on the robots are likewise not allowed. The only exceptions are:

- Attaching player numbers to the heads and/or legs of the robots. These numbers should be black with a white background, and should correspond to the number on the robot's jersey.
- Adding black and white sponsor or team logos to the upper legs of the robots (cf. Figure 5). These logos must be at least 50% white by area.
- Adding small black and white stickers to the torso of the robots stating the name of the robot, the name of the team, or similar information. These stickers must be at least 50% white by area.
- Setting the passive wrist joints to a fixed position either with glue or a transparent or white duct tape.
- Protecting the fingers with white finger protectors provided by Aldebaran or with transparent or white duct tape.
- Use of alternate memory sticks in replacement of the Aldebaran supplied memory sticks.

A computer will be provided by the event organizers for the purpose of sending GameController messages to the robots.

### 2.2 Goal Keeper

The goal keeper is allowed to touch the ball with its arms/hands only while it is within its own penalty area. It always has the jersey number "1".

---

## 2.3 Field Players

Only one field player may enter their own penalty area at any given time. Each of the four field players has a jersey number from the set  $\{2, 3, 4, 5, 6\}$ . However, by default, the number “6” should only be used for a substitute that enters the game later.

## 2.4 Coaching Robot

The purpose of the coaching robot is to observe the game from an external position and to give tactical and strategic advice to its team’s field players. This is realized by sending messages via a dedicated GameController interface (cf. Section 2.6.2). The coaching robot may not communicate via any other mechanism. A coach is not directly connected to its teammates and should not serve as a remote controller or external vision system.

The coaching robot is not placed on the field but on the table that is used for the GameController computer. The coaching robot must be connected via a cable to the GameController. The coaching robot may sit or kneel on the table or in a seat. For safety reasons, it is not allowed to move (except its head and arms — see cf. Section 4.9) or to enter a pose different from ordinary seating as depicted in Fig. 6. Seats will not be provided by the organizers, but teams may bring their own seats or small platforms that have a maximum height of the seating surface of 15 cm. Except for a backrest that is not higher than the sitting robot, no additional elements such as flags are allowed to be attached to the seats. The positions of the seats are not specified in detail and might differ from field to field. However, at each field there will be marked coaching zones (one at each side of the GameController computer) in which the coaching robots can be placed.



Figure 5: Example Sponsor/Team Logo placement on legs.




Figure 6: Two coaching robots observing a game. The left robot is sitting on a seating platform. The right robot sits on the table.

## 2.5 Team Markers

Robots use colored jersey shirts as team markers. Each jersey shirt has a player number (1-6) printed on it. The team markers are worn as shown in Figure 7.

Teams may use jerseys purchased at RoboCup 2013 or RoboCup 2014 (magenta and cyan solid colors) or they may design and manufacture their own jerseys. Austrian Kangaroos may still have magenta and cyan jerseys available for purchase — please inquire directly with them regarding potential purchase of these jerseys. Teams opting to design and manufacture their own jerseys must follow these guidelines:

- Jerseys should be the tank top style used at RoboCup 2013/2014. The torso LED must be clearly visible. Jerseys may include the sonar panel used in the 2013/2014 jerseys, although this is not required.
  - The sonar panel mesh (if used) may be white, black, the jersey’s primary color, or the jersey’s secondary color.
  - Jerseys should cover approximately the same areas of the robot as shown in Figure 7.
- Each side (front/back) of the jerseys must be at least 80% solid colored in any one color, although this color may not be white, orange, red, green, or light gray. At most 20% of each side (front/back) of the jersey may be a secondary color or colors which may not be orange, red, or green. Note that logos count as part of the 20%.
- All players on a team must wear identical jerseys, including the goalkeeper.
- A team must wear the jerseys that it starts a game in for the entire game.






Figure 7: Team markers. a) Front view. b) Side view. c) Back view.

- Jersey material must be non-reflecting and non-textured. Material that is shiny or glittery is also not appropriate.
- Jerseys should be numbered 1-6 on both sides. The numbers must be printed in white, black, the jersey's primary color, or one of the jersey's secondary colors and must be **easily** recognized by humans.
- Designs must be submitted to `rc-spl-tc@lists.robocup.org` for approval at least 4 weeks prior to the first set-up day of the competition (i.e. by June 19, 2015). Designs submitted before June 19, 2015 will be reviewed within two weeks of their submission date. At most three designs may be submitted. If the team has jersey prototypes, they should submit close-up images of a robot wearing the jersey - these images should be taken from front, back, and side angles. If the team has no prototypes, then designs depicting the expected jersey should be submitted. All images and designs should be submitted in pdf or jpg format. If a team does not submit designs by the deadline, they must use the magenta and cyan jerseys from RoboCup 2013/2014 (and find a way to obtain these jerseys for themselves).

It is possible that multiple teams may design similar jerseys. Hence, if the head referee believes the jerseys of two competing teams are too similar, the second team listed on the schedule must change into an alternate jersey.

The coaching robot is allowed to wear a custom shirt that has a team-specific design. There are no restrictions regarding colors or patterns. The shirt is allowed to cover the body as well as the upper arms of the coaching robot.

## 2.6 Communications

The robots should play without human control. Communication is only allowed among robots on the field and between the robots and the GameController.

---

### 2.6.1 Acoustic Communications

There are no restrictions on communication between the robots using a microphone or a speaker.

### 2.6.2 Wireless Communications

The only wireless hardware allowed to be used by the teams are the wireless network cards built into the NAOs, and the access points provided by the event organizers. All other wireless hardware must be deactivated. A team may be disqualified if one of the team members violates this rule.

Each team will get a range of IP addresses that can be used both for their robots and their computers. The network configuration (e. g. IP addresses, channels, SSIDs, and required encryption) of the fields will be announced at the competition site.

Wireless robot-to-robot communication among the robot players is allowed, as long as it uses the access points provided by the event organizers (using the so-called ad-hoc mode is prohibited), messages are sent via UDP, the SPL standard message packet is used, and not more than five messages per robot per second are sent<sup>1</sup>. The SPL standard message packet is specified in the header *SPLStandardMessage.h* that is distributed with the latest GameController release. Each team will be assigned a range of IP-addresses that can be used for direct robot-to-robot communication. Each team will also be allocated a single UDP port on which broadcast will be permitted. Specifically, a team's port will be 10000 plus that team's GameController number.

No team or robot should listen into another team's communication.

Robots are not allowed to be connected to access points of fields that are currently running official games of other teams.

The GameController will use UDP to connect to the robots. The source distribution of the GameController provides the header file *RoboCupGameControlData.h* that defines all messages sent by the GameController to the robots. They correspond to the *robot states* described in Section 3.2.

The coaching robot is not allowed to communicate directly with the robot players, i. e. it is neither allowed to send any messages to the players nor is it allowed to listen on ports that are used by players to send messages. Instead, it sends messages to the GameController's coaching interface by using the struct defined in the header *SPLCoachMessage.h* that is distributed with the latest GameController release. These messages have a maximum size of 81 bytes and will be copied by the GameController to its standard messages. However, independent of the sending frequency of a coach, the GameController will accept a new message only every 10 seconds — all other coach messages will be dropped. It is intended to display the coach messages to the audience, e. g. via

---

<sup>1</sup>Official status packages that are sent to the GameController can be sent in addition to these five messages.

---

the GameController display. Therefore, these messages have to be in a human-readable<sup>2</sup> format and may not contain any numbers. Failure to follow these specifications will result in the inability to use the coaching robot until it is able to follow these specifications.

The use of remote processing/sensing is prohibited.

---

<sup>2</sup>In this context, the definition of “human-readable” is: There exist humans outside the RoboCup context who can easily understand the content and meaning of the message, i. e. it is not required to use any specific language (such as English) and teams could use, for instance, their native language.




Figure 8: Robot states. Button interface transitions are shown in gray. GameController transitions are shown in black. However, any transition possible can actually be sent by the GameController.

## 3 Game Process

### 3.1 Structure of the Game

A game consists of three parts, i. e. the first half, a half-time break, and the second half. Each half is 10 minutes counted from the initial kick-off. The half-time break is also ten minutes — during this time both teams may change robots, change programs, or do anything else that can be done within the time allotted.

The teams will change the goal defended during the half-time break.

### 3.2 Robot States

Robots can be in six different states (cf. Figure 8). If the wireless is available, these states will be set by the GameController. Teams must implement code to receive and correctly respond to wireless GameController packets, and also give indication of the game state, team color, and the kickoff state. *If a robot does not respond to either the GameController or the button press interface, then it is not included in the game, and the game starts without the offending robot.*

**Initial.** After booting, the robots are in their *initial* state. The robots are not allowed to be moving in any fashion besides initially standing up. Shortly pressing the chest button will switch the robot to the *penalized* state.

---

**Ready.** In this state, the robots walk to their legal kick-off positions (cf. Section 3.7). They remain in this state, until the head referee decides that there is no significant progress anymore (after a maximum of 45 seconds). This state is not available if only the button interface is implemented.

Robots may be disentangled by the referees at the start of the Ready state. After that, the “Player Pushing” rules are applied, but the penalty is manual placement by the assistant referees (cf. Section 3.7), not the penalty described in Section 4.10. Consequently those pushings do not go into the permanent removal count.

**Set.** In this state, the robots stop and wait for kick-off (cf. Section 3.7). If they are not at legal positions or are fallen and laying in a standing position on the ground, they will be placed manually by the assistant referees to the positions shown in Figure 9. They are allowed to move their heads or get up if fallen before the game (re)starts but they are not otherwise allowed to move their arms or legs or locomote in any fashion. Penalties such as inactive robot, fallen robot, ect may be called as needed. This state is not available if only the button interface is implemented. Robots that do not listen to the GameController will be placed manually. Until the game is (re)started, they are in the *penalized* state.

**Playing.** In the *playing* state, the robots are playing soccer. Shortly pressing the chest button will switch the robot to the *penalized* state.

**Penalized.** A robot is in this state when it has been penalized. It is not allowed to move in any fashion, i. e. also the head has to stop turning. Shortly pressing the chest button will switch the robot back to the *playing* state.

**Finished.** This state is reached when a half is finished. This state is not available if only the button interface is implemented.

In the quarter finals and onward, the GameController Playing signal will be delayed by 15 seconds. The referee will announce the start of the Playing state with a short whistle blow. The referee may choose to use any normal sports whistle. Robots that begin moving their legs or locomoting in any fashion during *set* (i. e. before the referee blows the whistle) will be penalized in place on the field (and moved back to their original position if they have moved significantly before becoming penalized) until the GameController transmits the *playing signal*. Note that responding to a whistle on another field, although unlikely and poor luck, will result in this penalty.

Teams that support the GameController can visualize whether the robot’s team has kick-off on the LED of the right foot (off/white) in the states *initial*, *ready* and *set*. The current game state should be displayed on the LED in the torso. The colors corresponding to the game states are:

- Initial: Off
- Ready: Blue
- Set: Yellow

- 
- Playing: Green
  - Penalized: Red
  - Finished: Off

The current GameController requires robots to know both their team number and their robot number within the team. It is each team's responsibility to make sure this is correctly configured. It is recommended that the robot indicates its number within the team on bootup so that this can be easily checked at the start of the game.

### 3.3 Goal

A goal is achieved when the entire ball (not only the center of the ball) goes over the goal-side edge of the goal line, i. e. the ball is completely inside the goal area<sup>3</sup>. The restart after the goal shall adopt the same rules as the kick-off.

Note that a goal can never be awarded where the last contact of the ball with a robot was by the arm or hand (see Section 4.11). The only exception to the rules is a defending goal keeper within its penalty box.

Additionally, a goal can never be awarded when a team scores on themselves and there are no opponent robots on the field that are active (a definition of *active* is given in Sect. 4.7). In this case, the goal is not scored and the game will proceed with a throw-in (see Section 3.8).

### 3.4 Goal Keeper Save

While within its penalty area, a goal keeper may touch the ball with its arms and/or hands. If a goal keeper is able to lift the ball off of the ground using its arms and/or hands (i. e. using at least one arm or hand), and hold it there for at least 1 second, the ball will be moved to one of the two intersections of a throw-in line and the halfway line. Specifically, the ball will be moved to the intersection point closer (regarding the angle) to the goal keeper at the moment of lifting. If the goal keeper is almost aligned with the field's x-axis, the referee should use the intersection point at which a teammate is closer at the moment of lifting.

The robot is not required to lift the ball to a particular height in order for the ball to be considered to be 'lifted off of the ground', but lack of contact between the ball and ground must be clearly recognizable by the head referee.

---

<sup>3</sup>The goal line is part of the field.

---

## 3.5 Applying Penalties

See Section 4.2.

## 3.6 Initial Kick-off

The first kick-off at the start of each half is the initial kick-off. Before the initial kick-off, i.e. before the start of each half, all robots must be in the initial state and must be placed on the sidelines in their own half of the field. It is up to the team as to which sideline(s) and where exactly on the sidelines the robots are placed. Once the robots receive the *ready* signal from the GameController, they are to proceed as described in Section 3.7.

## 3.7 Kick-off

For kick-off, the robots listening to the wireless GameController run through three states: *ready*, *set*, and *playing*. Robots not listening to the GameController are simply penalized and manually placed for kick-off<sup>4</sup>.

In the ready state, the robots should walk to their legal kick-off positions. These positions are always located inside their own side of the field. No player is allowed to touch the halfway line. The field players of the attacking team can walk to any position within their own half. The field players of the defending team can walk to any position within their own half, except for inside the center circle. Only one field player may be within the penalty area during the set state. If multiple field players are within the penalty area during the set state, the robot(s) closer to center field should be placed manually by the assistant referees to the closest position(s) (as shown in Figure 9) in which a team mate is not already positioned within 1 meter.

If robots collide during the Ready state, the “Player Pushing” rules are applied, but the penalty is manual placement by the assistant referees, not the penalty described in Section 4.10. Consequently those pushings do not go into the permanent removal count.

The robots have a maximum of 45 seconds to reach their positions. If all the robots have reached legal positions and have stopped, or if 45 seconds have passed, the robots will be switched into the *set* state, in which they must stop walking. Each robot that is not at a legal position at this point in time will be placed by the assistant referees in the closest manual position (see Figure 9) that does not already have a team mate within 1 meter. Robots that are legally positioned will not be moved by the assistant referees unless a manual position is requested by the team leader. *In the case where the team leader requests manual placement, all robots on that team are manually positioned.*

---

<sup>4</sup>Note that robots being manually placed because they are not listening to the GameController must still be placed in the restricted set of legal positions for manually placed robots. It is to a team’s advantage to have their robots listen to the GameController.




Figure 9: Manual setup for kick-off. The attacking team is on the right.

There are extra restrictions on the legal positions of manually positioned robots. Two field players of the defending team are placed halfway between the corners of their own penalty box and the sidelines. The other two field players of the defending team are placed immediately in front of their own penalty box, halfway between the center of the penalty box and the goal post. The kicking-off robot is placed on the center circle, right in front of the penalty mark. Its feet touch the line, but they are not inside the center circle. One of the other field players of the attacking team is placed immediately in front of their own penalty box, halfway between the center of the penalty box and the goal post. The other two field players of the attacking team are placed halfway between the corners of their own penalty box and the sidelines. The goal keepers for each team are placed at the center of the penalty box, with their feet immediately in front of the end-line. See Figure 9 for a pictorial representation of these positions.

To assist the assistant referees in placing the robots manually when needed or requested, small Xs will be marked on the field using a black felt-tip pen in the spots where manually placed robots should go. Note that most positions are shared between the attacking team and defending team, so only 6 marks will be needed. These marks should be small, such that they are visible to humans but invisible to robots.



---

As autonomously placed robots are allowed to be much closer to the ball, successful autonomous placement results in a significant advantage over manual placement.

Just before the *set* state is called, the ball is placed on the center point of the center circle by one of the referees. If it is moved by one of the robots before set is called it is replaced by one of the referees.

After the head referee has signaled the kick-off, the robot's state is switched to *playing* (again either by the GameController or manually), in which they can actually play soccer. The defensive team must stay outside of the center circle until the ball is in play. The ball is in play once it is touched by the attacking team or once *10 seconds* have elapsed in the playing state. If a defensive player enters the center circle before the ball is in play, the "Illegal Defender" penalty is applied (cf. Section 4.14).

Note that a goal can never be scored from within the center circle after a kick-off. See Section 4.5 for details.

### 3.8 Throw-in

A ball is considered to have left the field when there is no part of the ball over the outside of the boundary line (i. e. the line itself is in). If the ball leaves the field it will be replaced on the field by an assistant referee. There is *no* stoppage in play.

If the ball goes over a sideline then the assistant referee will replace the ball back on the field on the throw-in line on the same side of the field as the ball went out of play.

The ball will be replaced on the throw-in line at the farthest back of these two locations: a) one meter back from the point it went out or b) one meter back from the location of the kicking robot. We define 'back' as being towards the goal of the team that last touched the ball. Note that if the one meter placement would cause the ball to be placed off the end of the throw-in line, then it should be placed at the end of the throw-in line, and not beyond.

If the ball goes over an end-line then the assistant referee will replace the ball back on the field according to the following rules:

- If the ball was last touched by the defensive team then the ball is replaced on the closest endpoint of the throw-in line.
- If the ball was touched by the offensive team, the ball is replaced on the throw-in line at the farthest back of these two locations: a) one meter back from the location of the kicking robot, or b) at the halfway line.

Balls are deemed to be out based on the team that last touched the ball, irrespective of who actually kicked the ball. In these examples, "red half of the field" refers to the half the red team is defending.

---

**Example 1.** The red goal keeper kicks the ball out the end of the field to the right of the goal. The ball is placed on the endpoint of the throw-in line to the right of the goal.

**Example 2.** A blue robot on the red half of the field kicks the ball out the end of the field to the right of the goal the red team is defending. The ball is placed on the intersection of the right throw-in line and the halfway line.

**Example 3.** A blue robot on the blue half of the field kicks the ball out the end of the field to the right of the goal the red team is defending. The ball is placed on one meter behind the robot on the right throw-in line.

**Example 4.** A blue robot at midfield kicks the ball over the left sideline 2 meters into the red half of the field. The ball is replaced on the left throw-in line 1 meter into the blue half of the field (one meter behind the robot).

**Example 5.** A blue robot at midfield kicks the ball over the left sideline 2 meters into the blue half of the field (towards its own goal). The ball is replaced on the left throw-in line 3 meters into the blue half of the field.

**Example 6.** A blue robot kicks the ball but the ball touches a red robot at midfield before leaving the field near the center line. The ball is regarded as out by red and therefore is replaced on the throw-in line 1 meter closer to the goal the red team is defending.

## 3.9 Game Stuck

In the event of no substantial change in the game state for 15 seconds, this is considered a game stuck. This includes if a robot is at the ball circling it for 15 seconds without kicking the ball. The main referee has two options how to solve the game stuck and to reestablish the chance of progress in the game. The intention of the game stuck rule is to achieve progress with as little intervention as possible, i. e. the *Local Game Stuck* rule will be preferred, but only if there is a chance that its application will result in progress in the game.

### 3.9.1 Local Game Stuck

The nearest robot to the ball will get the standard removal penalty according to Section 4.3.

---

### 3.9.2 Global Game Stuck

The referee stops the game and restarts the game from the kick-off formation. The kick-off will be awarded to the team defending the side of the field the ball is on when the game stuck is called. A global game stuck can only be called if at least one robot has touched the ball since the previous kick-off.

### 3.10 Request for Pick-up

Either team may request that one of their players be picked up only for hardware dysfunction and software crashes at any point in the game (called “Request for Pick-up”). Basically every change (hardware or software) is allowed during a request for pick-up. In particular, it is permitted to change batteries, fix mechanical problems, reboot the robots, and change configuration files. It is discouraged to change the robot’s control program, **but not forbidden**. It is also allowed to replace a broken robot by a substitute robot.

Any strategic “Request for Pick-up” is not allowed, i.e. gaining an advantage by removing the robot from the game. In general, a “Request for Pick-up” for a robot which is currently in the game is only allowed for obvious hardware failures. In this case, the head referee will indicate when the robot is no longer affecting play and can be removed from the field by an assistant referee. A “Request for Pick-up” for a robot which is currently out of the game, e.g. penalized, can be granted immediately.

To prevent mistakes and confusion during games, only team leaders should make a “Request for Pick-up”, and only one designated person per team shall accept the robot from the referee, and hand it back after fixing the problem. The returning robot will be replaced after a minimum of 45 seconds after it was taken off the field following the normal replacement procedure used after the standard removal penalty (see Section 4.3).

The robot should be returned to the assistant referees in the *penalized* state.

### 3.11 Request for Timeout

At any stoppage of play (after a goal, stuck game, before a half, etc.) either team may call a timeout. Each team can call a **maximum of 1 timeout per game** with a total time totaling no more than **5 minutes**. During this time, both teams may change robots, change programs, or anything else that can be done within the time allotted. It is allowable to call one timeout before a penalty shootout or between penalty kicks if the penalty shootout directly follows a game in which the team did not use a timeout.

The timeout ends when the team that called the timeout says they are finished, at which time they must be ready to play. The other team must be ready to play at the time the timeout runs out, or **2**

---

**minutes** after a prematurely called end of the timeout, whichever is earlier. If the other team is not ready to play in time, it has to call a timeout of its own.

The clock stops during timeouts, even during the preliminaries.

After the completion of the timeout, the game resumes with a kick off for the team which did not call the timeout.

If a team is not ready to play at the assigned time for a game, the referee will call the timeout for that team. After the expiration of such a timeout, if the team is still not ready to play then the referee shall start the game with only one team on the field. The team that was not ready can return its robots to the field as per the rules for “Request for Pick-up”. If both teams are not ready, the referee will call timeouts for both teams. This “double timeout” expires after 10 minutes.

### **3.12 Referee Timeout**

The head official may call a timeout at any stoppage of play if he or she deems it necessary. A referee timeout should only be called in dire circumstances — one example might be when the power to the wireless router is down. However, when and whether to call a referee timeout is left up to the head referee.

Referees may call multiple timeouts during a game if needed. Teams may do anything during these timeouts, but they must be ready to play **2 minutes** after the referee ends a timeout. The referee should end the timeout once he or she believes the circumstance for which the timeout was called has been resolved. In cases where the circumstance for which the timeout was called is not resolved within 10 minutes, the chair of the technical committee should be consulted regarding when/if play should continue.

The team who would have kicked off if the timeout had not been called shall kickoff when the game resumes.

### **3.13 Extra Time**

The head official may decide to add time to the clock if a substantial delay (such as an enormous wireless delay) causes excessive game time to be lost. The decision to add time to the clock should be made immediately after the incident. The person working the GameController should execute this addition of time using the GameController interface.

---

### 3.14 Rules for Forfeiting

Teams who do not make a good faith effort to participate in a scheduled game are considered to forfeit the game. In the case of a forfeit, a note will be added to the Penalty Counts list kept by the league, which may affect qualification in future years.

If a team notifies the technical committee that they wish to forfeit less than two hours before their scheduled game time, simply fails to show up for their game, or decides during their game that they wish to forfeit, then the opposing team will play the match against an empty field. However, any own goals will not be scored. Hence, after an opponent forfeits, the team playing against an empty field cannot do worse than they were doing at the time the opponent decided to forfeit. Teams may choose to forfeit at any stoppage of play. However, once a forfeit is announced, they may not reverse this decision.

If a team notifies the technical committee that they wish to forfeit at least two hours before their scheduled game time, the following procedure will be followed.

- If a team chooses to forfeit a match in the round robin games the other team plays the match against an empty field. However, any own goals will not be scored.
- If a team chooses to forfeit in a knock-out game which it reached directly after a round robin group, it will be replaced by its runner up in that round robin group.
- If a team chooses to forfeit in a knock-out game which it reached after a previous knock-out game (e.g. semi final after winning the quarter final), it will be replaced by the team that it eliminated in the previous round.
- If a team chooses to forfeit the final and the final is scheduled to occur after the 3rd place game, it will be replaced by the 3rd place winner, and the 4th place team will become 3rd place. No new 4th place will be selected.
- If a team chooses to forfeit the final and the 3rd place game is scheduled to occur after the final, it will be replaced by the team that lost to the forfeiting team in the previous semifinals. No 3rd place game will be played.

Note that there are a few unlikely cases that are not covered by these rules. If a situation is not covered by these rules, the technical committee and the organizing committee will work together to make a decision.

---

## 3.15 Penalty Kick Shoot-out

A penalty kick shoot-out is used to determine the outcome of a tied game when an outcome is required (for example, during the intermediate round, quarter finals, semi finals, third place or final). There will be a five minute break between the end of the game and the start of the penalty kicks. In the intermediate round, the penalty kick shoot-out will consist of three penalty shots per team; in the quarterfinals and later, it will consist of five penalty shots per team. All penalty shots are taken against the same goal<sup>5</sup>. At the conclusion of these shots the team that has scored the most goals will be declared the winner. Note that a winner can be declared before the conclusion of the penalty shoot-out if a team can no longer win, for example, a team requires 3 goals to win but only has 2 attempts remaining. If the two teams still remain tied then a sudden death shoot-out will follow until a definite winner is found.

The procedure for each attempt is described in Section 3.15.1. For the first five attempts, the standard time limit of 1 minute is applied. If after five penalty kicks by each team there is no result (that is, each team has scored the same number of goals), then the decision will be made by the following sudden death shoot-out procedure.

### 3.15.1 Penalty Kick

A penalty kick is carried out with one attacking robot and one opposing goal keeper. Other robots (including the coach) should be powered off and stay outside of the field. Teams are allowed to switch to specially designed software for a penalty kick. Moreover, teams are allowed to replace their robot after each penalty shot attempt if desired. However, all robots (including the replacements) must be ready before the penalty shootout begins. After the start of the penalty shootout, no additional code changes are allowed.

The ball is placed on the penalty spot, at the end of the field closest to the goal being defended. The attacking robot is positioned 1 meter behind the penalty spot, facing the ball. This spot is denoted with a small dot made with a felt-tip pen. The goal keeper is placed with its feet on the goal line and in the center of the goal.

Neither robot shall move their legs before the penalty kick starts. Movements of the robot's head and arms are allowed as long as the robot does not locomote. Technically, the robots are in the *set* state when waiting for the penalty kick to start. If robots are not listening to the GameController, they are in the *penalized* state instead. The robots are started by switching to the *playing* state.

The attacking robot is only allowed to contact the ball once. The time limit for the kicker is 1 minute after the penalty kick starts. The ball must be in the goal within this time limit in order to count as a goal.

---

<sup>5</sup>Which goal to take for the shoot-out is decided in accordance with the teams, or otherwise by a coin toss.

---

Hence, a penalty shot is over when the ball has come to a full stop after the first contact by the attacking robot, either in favor of the attacker if a goal has been scored, or in favor of the defending team if the goal keeper successfully blocked or if the ball just did not reach the goal line.

The goal keeper is not allowed to touch a ball that is completely outside the penalty area, where the line is part of the penalty area. If the goal keeper touches the ball when the ball is completely outside the penalty area, then a goal will be awarded to the attacking team.

All the rules such as “Ball Holding”, “Pushing” and others are also applied during the penalty kick. A goal keeper will not be penalized for inactivity during a penalty kick, provided its stiffness is on. Other penalties are applied as usual.

The attacking robot will be indicated by the GameController using the kick-off flag, i. e. the kick-off team is the attacking one.

### **3.15.2 Sudden Death Shoot-Out**

The time limit for sudden death penalty shots is two minutes.

These attempts will be timed (that is, for a goal scored, how long did it take to score the goal) and measured (that is, if a goal is not scored, what is the shortest distance between the ball and the goal line segment between the goal posts, achieved at any time during the penalty shot) by the referee. After these attempts, the game decision will be made as follows:

1. If only one team scores a goal, that team wins.
2. If both teams score a goal, then if one team is timed to have scored at least 2 seconds faster than the other team, the faster team wins. Otherwise, the sudden death shoot-out is repeated.
3. If neither team scores a goal, then if one team is measured to have moved the ball more than 50 mm closer to the goal than the other team, the closer team wins. Otherwise, the sudden death shoot-out is repeated.
4. If neither team has touched the ball during the shoot-out, the referee will toss a coin to decide the game.

---

## 4 Forbidden Actions and Penalties

The following actions are forbidden. In general, when a penalty applies, the robot shall be replaced, not the ball. For penalties that are timed, the penalty time is considered to be over whenever the game time stops (for goals, half-time, and game stuck).

### 4.1 Locomotion Type

Robots should clearly demonstrate bipedal walking similar to human walking. Other types of locomotion involving other parts than feet (crawling etc.) are strictly forbidden. It is duty of the head referee to decide whether a robot's locomotion is appropriate. Robots using inappropriate locomotion types will be removed via 'Request for Pick-up' until they are able to show appropriate locomotion.

### 4.2 Penalty procedure

When a robot commits a foul, the head referee shall call out the infraction committed, the primary jersey color of the robot, and the jersey number of the robot. The penalty for the infraction will be applied immediately by an assistant referee. The assistant referees should perform the actual movement of the robots for the penalty so that the head referee can continue focusing on the game. The operator of the GameController will send the appropriate signal to the robots indicating the infraction committed.

### 4.3 Standard Removal Penalty

Unless otherwise stated, all infractions in this league result in the removal of the infringing robot from the field of play for 45 seconds, after which it will be returned to the field of play. This process is called the standard removal penalty, and a detailed description of the process follows.

When the head referee indicates a foul has been committed that results in the standard removal penalty, the assistant referee closest to the robot will remove the robot immediately from the field of play. The robot should be removed in such a way as to minimize the movement of the other robots and the ball. If the ball is inadvertently moved when removing the robot, the ball should be replaced to the position it was in when the robot was removed.

The operator of the GameController will send the appropriate signal to the robot indicating the infraction committed. If the wireless is not working and the penalty is timed, the assistant referee handling the robot will reset the robot into the *penalized* state for the duration of the penalty. After a penalty is signaled to the robot, it is not allowed to move in any fashion, such as being in the






Figure 10: For robots coming back from a standard removal penalty, re-entry points lie in their own half, on the sideline on the side away from the ball.

*initial* state. The removed robot will be placed outside of the field facing away from the field of play.

The GameController will keep track of the time of the penalty. The operator of the GameController will signal the assistant referees when the penalty is 10 seconds from being over, so that one of them can place the robot in the half of the field which this robot's team is defending on the sideline that is farther from the ball. The robot should be placed close to the position where the penalty point projects on the sideline. This is illustrated in Figure 10.

If there is another robot already in this position, the robot should be replaced at a nearby location along the sideline. When finding a nearby location, locations away from the ball should be preferred, but they **must** still be in the robot's own half, so that the symmetry of the field can be resolved by the robot's localization system.

With approximately 5 seconds left before the penalty ends, the robot should be turned to face towards the opposite sideline.

When the robot is on the field again, the operator of the GameController will send the *playing* signal to it. If the wireless is not working, the assistant referee who placed the robot back on the field has to bring it into the *playing* state again.

---

## 4.4 Manual Interaction by Team Members

Manual interaction with the robots, either directly or via some communications mechanism, is not permitted. Team members can only touch one of their robots when an assistant referee hands it over to them after a “Request for Pick-up”.

## 4.5 Kick-off Shot

A “kick-off shot” can never score a goal. A “kick-off shot” is a shot taken by any of the two teams after a kick-off before the entire ball has left the center circle, including the boundary line. If a kick-off shot enters the goal (either directly or via contact with an opposing robot), no goal will be scored and the standard removal penalty will be applied to the kicking robot. The ball will be put back to the place from which it was kicked.

If the ball touches a teammate of the kicking robot outside the center circle before entering the goal, a goal is scored.


## 4.6 Ball Holding

The goal keeper is allowed to hold the ball for up to 10 seconds as long as it has one foot inside in its own penalty area. In all other cases (except those noted in Section 4.6.1), robots are allowed to hold the ball for up to 3 seconds. Holding the ball for longer than this is “Ball Holding” and is not allowed.

A robot which does not leave enough open space around the ball will be penalized as “Ball Holding” if that situation continues more than 3 seconds. The occupation of the ball is judged using the convex hull of the projection of the robot’s body onto the ground. “Enough open space” means that at least the half of the ball is not covered by the convex hull. It is not important whether the robot actually touches the ball.

Intentional continual holding is prohibited even if each individual holding time does not continue for up to the time limit. In general, robots should release the ball for approximately as long as they were holding it to reset the clock. Without a sufficient release, the continual holding is regarded as a continuous hold from the very beginning and the holding rule is strictly applied. The violation of this rule will result in the standard removal penalty (see Section 4.3 for details). The ball should be removed from the possession of the robot and placed where the foul occurred. If the robot that held the ball has moved the ball before the robot can be removed, the ball shall be replaced where the foul occurred.

a)



b)



Figure 11: Examples for “Ball Holding”. The orange circle is the ball, the blue polygon visualizes the convex hull of the robot’s projection onto the ground and the red area shows the occupied portion of the ball. Situations a) is legal, whereas b) violates the rule.

**Example.** A robot holds the ball and before the referees can remove the robot, it shoots the ball into the goal. The goal will not be counted and the ball will be replaced where the robot held the ball.

#### 4.6.1 Exceptions to the Ball Holding Rules

The following define situations where ball holding does not apply:

1. Ball holding may not occur when the ball becomes stuck between a robot’s legs. In such a situation, the head referee should call ‘clear ball’ and an assistant referee should remove the ball and place the ball approximately where it was before it became stuck.
2. Ball holding may not occur when a robot falls on a ball. The robot will either get-up and hence free the ball, or the robot should be removed under the Fallen Robot rule.

### 4.7 Fallen or Inactive Robots

If a robot falls during the game, it should start executing a getup action within 5 seconds. If it does not commence a get up action within 5 seconds, it will be removed as per the standard removal penalty. A robot which is unable to autonomously stand up within 20 seconds after a fall will be removed and subject to the standard penalty. The goal keeper, inside its own penalty area, is the only robot permitted to ‘dive’ (that is deliberately fall in a way that might cause its torso, arms or hands) to intercept the ball. In all other cases, the robot should be programmed to attempt to remain upright – that is, supported by its feet.

---

A robot that has ceased activity for 10 seconds or has turned off will be removed by the referees and is subject to the standard removal penalty. A robot is active if it performs at least one of the following:

1. The robot walks in any direction, or turns.
2. The robot searches for the ball, or is looking at the ball.

**Note:** The intention of this rule is not to penalize robots simply for being stationary – provided they are not ‘asleep’ and have not ‘crashed’.

## 4.8 Player Stance

Robots are not allowed to stay in a stance that is wider than the width of the robot’s shoulders for more than 5 seconds. The robot is allowed to go into a wide stance as long as it comes back to a normal stance within 5 seconds. Staying in a wide stance for longer than 5 seconds will result in the standard penalty. If the robot has fallen down, it must start getting up within 5 seconds.

## 4.9 Coach Motion

The coach robot has to remain seated during the whole game, it is only allowed to move its arms and head. If the robot leaves its seating position, it will be disqualified for the remainder of the game and has to leave its position on the table. Technically, this is handled as a Request for Pick-Up (cf. Section 3.10) but without the possibility to reenter the game.

## 4.10 Player Pushing

*Pushing* is a forceful contact with another robot, i.e., enough to destabilize it, and is not allowed. In the following, the cases when pushing occurs as well as exceptions are specified in more detail.

The standard removal penalty will apply for pushing. The 4th time a team is called for pushing in a half, the offending robot will be removed for the remainder of the half. Subsequently for that half, a robot from the team will be removed for every 2 pushing offenses (i.e., the 6th time, 8th time, etc.). Note that this can result in all five of a team’s robots being removed for the remainder of the half if they are called for pushing twelve times in a half. Pushing offenses during the ready state are not counted as part of this removal count (cf. Section 3.7).

If the ball moves significantly as the result of pushing, then it should be replaced to where it was at the time of the infringement.

---

#### 4.10.1 Exceptions to the Pushing Rules

The following define situations where pushing does not apply:

1. Pushing may occur **only** between players of different teams.
2. A stationary robot cannot be penalized for pushing, including a robot that is kicking, provided that the ball was close enough where a kick could have succeeded at the start of the kick motion.
3. A robot currently getting up cannot be penalized for pushing.
4. The goal keeper cannot be penalized for pushing while looking at or chasing the ball in it's own penalty area.
5. Front to front contact between robots with the ball between them does not constitute pushing.
6. Any robot proceeding to the ball whose side (i. e. arm, shoulder etc.) makes contact with another robot cannot be called for pushing. Even if the second robot is not proceeding to the ball.

#### 4.10.2 Contact between standing/walking Robots

The following forms of contact are considered pushing contacts except for the conditions in Section 4.10.1:

1. Any form of forceful contact that significantly destabilizes a robot, such that walking and/or kicking is impeded. Examples for forceful contacts include falling into another robot or walking carelessly into another robot at significant speed.
2. Walking into another robot for 2 seconds (even a fallen or getting up robot), even if the 'force to push' is minimal.

#### 4.10.3 Contact Between More Than 2 Robots

Pushing should be called in the same way when multiple robots are in contact. The robot that is pushing will be called for a penalty regardless of how many robots of either team are in the area. This is to ensure that the team that is pushing is called for the penalty. If any of the exceptions apply to a robot in the group, that robot cannot be called for pushing.

---

## 4.11 Playing with Arms/Hands

A field player or a goal keeper outside its own penalty box that touches the ball with its arms/hands will be subject to the standard removal penalty. In this case, the ball is to be replaced at the point where it contacted the arms/hands of the offending robot.

## 4.12 Damage to the Field

A robot that damages the field will be removed from the field for the remainder of the game. Similarly, a robot that poses a threat to spectator safety will also be removed from the field for the remainder of the game.

## 4.13 Leaving the Field

A robot that intends to leave the 7.4 m  $\times$  10.4 m carpeted area will be subject to the standard removal penalty (see Section 4.3). This penalty can already be called after a robot leaves the 6 m  $\times$  9 m playing field if the robot appears to be “lost”.

In addition,

- a robot that walks into the goal net for more than 5 seconds as well as
- a robot whose fingers become entangled in the net (without any time constraint)

will also be subject to the standard removal penalty.

## 4.14 Illegal Defender

Only two players can be within a team’s penalty area at the same time. A robot is within the penalty area if any part of its body is touching the ground inside the penalty box or touching one of its lines. When any additional players (whether field player or goalkeeper) enter the area, they will be subject to the standard removal penalty (see Section 4.3). This is called the “Illegal Defender Rule”. Note that if an operational defender is pushed into the penalty area by an opponent, this robot will not be subject to removal unless it fails to exit the area within 5 seconds (or 5 seconds of getting up if the pushing led to falling).

If an illegal defender kicks an own goal, the goal is scored for the opponent. If there is any doubt about whether a goal should count (e.g. the illegal defender infraction is called, but the robot scores

---

the own goal immediately afterwards, before it is removed) then the decision shall be against the infringing robot.

The “Illegal Defender” penalty is also applied to defensive players that enter the center circle after a kick-off before the ball is in play (cf. Section 3.7).

## 4.15 Jamming

During the match any robot shall never jam the communication and the sensor systems of the opponents:

**Wireless communication.** As specified in Sect. 2.6.2, each robot is only allowed to send a limited number of UDP messages that have to comply with a predefined format. If a robot uses a different protocol or sends too many messages over a couple of seconds in a game, it will be disqualified for that game. If a teams violates this rule in multiple games, disqualification from the tournament (including technical challenges as well as the drop-in competition) as well as an entry in the penalty list will be the consequence. Except for the wireless cards and the access points provided by the organizers of the competition, nobody close to the field is allowed using 2.4 GHz radio equipment (including cellular phones and/or Bluetooth devices).

**Acoustic communication.** If acoustic communication is used by both teams, they shall negotiate before the match how they can reduce interference. If only one team uses acoustic communication, the robots of the other team shall avoid producing any sound. In addition, both the teams and the audience shall avoid intentionally confusing the robots by producing similar sounds to those used for communication.

**Visual perception.** To avoid confusing other robots, the robots are not allowed to switch LEDs to orange. In general, the use of flashlights is not allowed during the games. However, flash photography from the audience is allowable as long as the head referee believes the purpose of the flash is not to jam any of the robots.

---

## 5 Judgment

The referees are the only persons that are allowed on the carpeted area (i. e. the field and the border area).

### 5.1 Head Referee

The head referee signals game starts, restarts, and the case of *game stuck* by a single whistle. In general, the head referee first whistles and then announces the reason for the whistle. The only exception is the case of the kick-off, in which the reason for the whistle is obvious. The whistle defines the point in time at which the decision is made. In case of a local or global game stuck, this is also announced verbally. By two whistles, the head referee terminates the first half; by three whistles he terminates the second half, i. e. the whole game. Goals should be indicated verbally and by the head referee pointing with one arm towards the center of the field.

In the penalty kick shoot-out, the head referee keeps the time.

Any decision of the head referee is valid. There is no discussion about decisions during the game, neither between the assistant referees and the head referee, nor between the audience or the teams and the head referee. The main referee's decision is final and can not be changed afterwards by video proof.

### 5.2 Assistant Referees

The two assistant referees handle the robots and the ball. They start the robots if the wireless is not working, they move the robots manually to legal kick-off positions, they take the robots out when they are penalized, and they put the robots in again. If a team requests to pick up a robot, an assistant referee will pick it up and give it to one of the team members once the head referee approves. An assistant referee will also put the robot back on the field. An assistant referee will also replace the ball when it goes off the field or becomes stuck between a players feet. In addition, the assistant referees can indicate violations against the rules committed by robots to the head referee, so that the head referee can decide whether to penalize a certain robot or not. Assistant referees should only enter the field to execute a decision made by the main referee. They should not prevent robots from falling during the game.

### 5.3 Operator of the GameController

The operator of the GameController sits at a PC outside the playing area. He or she will signal any change in the game state to the robots via the wireless as they are announced by the head



---

referee. Please note that for the kick-off, the moment of whistling is determining, not the verbal announcement of the head referee. He or she will also inform the assistant referees when a timed penalty is over and a robot has to be placed back on the field. He or she should announce to the head referee when the ball is in play on kick-off (if this occurs because 10 seconds have elapsed in the playing state) by stating “Ball in Play”. The operator is also responsible for keeping the time of each half, i. e., he or she stops the clock after a goal or game stuck, and continues it at the kick-off<sup>6</sup>. The operator should count aloud the remaining seconds in a half once the time remaining is 5 seconds or less.

## **5.4 Referees During the Match**

The head referee and the assistant referees should wear clothing and socks *of black or dark blue color* (blue jeans are acceptable) and avoid reserved colors for the ball, the goals, and player markings in their clothing. They may enter the field in particular situations, e. g., to remove a robot when applying a penalty. They should avoid interfering with the robots as much as possible.

## **5.5 A Remark on Artificial Landmarks**

The head referee may decide at any point before or during a game to relocate any objects around the field, or direct persons to another position around the field.

The intent of using same-colored goals is to remove artificial landmarks. Robots should be able to localize with the SPL field and its “normal” surroundings. Introducing new team-specific artificial landmarks is against the spirit and intention of the league’s progress. The application of this rule needs to be well considered and should be reserved for situations which seem constructed by one team or another, but will ultimately be the head referee’s decision alone.

---

<sup>6</sup>The clock may not be stopped during the preliminaries.

---

## A Drop-in Player Competition

The main rule book describes the rules for RoboCup Standard Platform Games. However, at the international RoboCup competition there will be a competition in the Standard Platform League in which teams are formed of players from various teams. All teams who compete in the team competition must participate in this competition. Additional teams will be selected to participate in just this competition.

The main point of this competition is for teams to develop ‘drop-in’ players that can be good teammates and play well with a team composed of drop-in players from a variety of teams. The competition’s goal is to develop more intelligent players that can efficiently and robustly collaborate with other robots without exactly knowing their states, skills, and intentions and that can carry out cooperative moves without explicit specifications of pre-coordinated behaviors by the human team members.

### A.1 Organization

Each participating team will contribute one drop-in player. Each drop-in player will compete in games with many different teams composed of randomly chosen drop-in players. In each game, the opponent will also be a team composed of randomly selected drop-in players. The exact number of games played by each drop-in player will depend on the number of teams that participate in the competition, but we expect to hold approximately 20 drop-in games during the RoboCup 2015 competition.

Each team is required to email a short (no more than 200 words) explanation of their drop-in player strategy to `rc-spl-tc@lists.robocup.org` by the end of the final competition day at RoboCup 2015. These descriptions will be released on the SPL wiki soon after the competition.

### A.2 Rules

All normal game rules apply in this competition. The only exceptions will be:

- Any player may be goal keeper (i. e., enter the goal box and behave as goal keeper). However, once one player has entered the goal box for a team, this player will be the goal keeper for the remainder of the game. Subsequently, if any other player of this team enters the goal box, the newly entering player is treated as a field player.
- Drop-in games will each consist of one 10 minute half.
- Drop-in teams will not have a coaching robot.

- 
- No player may be ejected under ‘Pushing’ rules.
  - Each of the five players has a jersey number from the set  $\{1, 2, 3, 4, 5\}$ .
  - Drop-in teams will wear the cyan and magenta jerseys used in the RoboCup 2013 and RoboCup 2014 competitions. If your team owns these jerseys, please bring them.
  - Drop-in teams may not call any timeouts.

Each drop-in player must communicate with its teammates using SPL standard message protocol (cf. Section 2.6.2). Drop-in teams will use UDP ports 10098 and 10099. Drop-in players who do not properly fill in and update the mandatory subset of the fields in the standard message (these fields are marked in the comments of the standard message header), as well as send at least 20 messages every minute, will not be allowed to play.

In this competition, no code changes may be made once the lineups are announced for a match that would tell the drop-in player anything about the identity or ability of its teammates or opponents. Each drop-in player is expected to play without any human-provided knowledge of its teammates or opponents.

The clock will not stop during stoppages of play in drop-in competition games. Drop-in competition games may finish in a draw, as no penalty shoot-out will follow.

### A.3 Scoring

The Drop-in Player Competition will be scored using two metrics:

- average game result
- average human judged score

The average game result will be calculated by awarding points at the end of each game based on the result: Win, Draw, Loss, Absent. Players on the winning team receive 2 points, players on both teams receive 1 point if the game result was a draw, and players on the losing team receive 0 points. Players who were assigned to be on one of the playing team, but who did not enter the field during the game, receive -2 points.

The judges will be members of the technical committee, organizing committee, and individual teams. There will be five judges for each game, where judges will not judge any game in which their team is competing (if possible) and one judge will be designated as head judge. The head judge will instruct the judges in how to properly judge the game, monitor drop-in player communication, and make notes regarding when players are not present on the field throughout the game.

---

The four judges will judge each player on the field. The judges will score the players based on the following criteria, although a player's judge score can be no lower than 0 if it was on the field for most of the half (i. e. for at least 5 minutes). If a robot was not on the field for most of the half, its overall judge score will be -5 by default. This will be determined by the head judge.

- Judged constantly during game:
  - Positive team play = +1 – +4
    - \* Examples: passing, positioning to receive a pass or intercept an opponent's shot
  - Negative team play = -1 – -4
    - \* Examples: pushing teammates, stealing the ball from teammates
- Judged once per game:
  - Overall positioning (poor 0, average 5, exceptional 10)
  - Game participation (mostly inactive / not on field 0, average 5, exceptional 10)

The default for any robot should be 5 for each score. Only in cases of remarkably negative or positive behavior, the other values should be taken. These deviations are what the judges should watch for.

The two scoring metrics will be normalized and added up to determine the overall winner of this competition as follows:

- The team that has the highest average game result will get 100 points.
- The team that has the lowest non-negative average game result will get 0 points.
- All other non-negative average game results become scaled linearly.
- The team that has the highest average human judged score will get 200 points.
- The team that has the lowest non-negative average human judged score will get 0 points.
- All other non-negative average human judged scores become scaled linearly.
- Each team's judge and game result points will be added.
- Teams with negative average game results or negative average judge score will be excluded from the final rankings.

---

## A.4 Award

The overall winner (i. e. the team that has the most points) will receive the “*Best Player*” award. Additionally, the top five drop-in players from the competition (the “SPL All Stars”) will play together against the 1st place team in the team competition after the championship game. If the 1st place team in the team competition also had one of the top five drop-in players, this player will not compete on the SPL All Star team and will instead be replaced by the sixth best drop-in player from the competition.

---

## B The Official RoboCup Competition Rules

This section contains rules that are not directly relevant for games and that may not apply at local opens. However, these rules will be upheld at the yearly international RoboCup competition.

### B.1 Game Structure

The clock stops during stoppages of play (such as ready and set state after goals) from the quarter-finals onward. In round robin pool play, a game can finish in a draw as no penalty shoot-out will follow. In the intermediate round, quarter finals, semi finals, 3rd place or final, a game that ends in a draw will be followed by a penalty shoot-out (see Section 3.15).

### B.2 Winner and Rankings

The team which scored more goals than the other is the winner of the match. If the two teams scored the same number of goals, the game will be a draw. The draw will follow the same system defined in Section 3.1. Total (and final) standings will be decided on points as follows (the points will be given based on the result of each game):

Win = 3 pts

Draw = 1 pt

Lose = 0 pts

If a team's obtained points is the same as another team's after a round of pool play is complete, the following evaluations will be applied in order to qualify the finalists.

1. The points obtained
2. The difference between goals for and goals against per game
3. The average goals for per game
4. Game result between the teams directly

### B.3 Selection of the Referees

During pool play, the games will be refereed by members of teams from a different pool. Each team has to referee a number of games — a refereeing schedule will be released prior to the competition. For each of the games, a team can either provide the head referee and the operator of the GameController, or the two assistant referees. Note that the head referee and the GameController should always be from the same team. The two teams assigned to referee a game shall decide

---

among themselves which roles each team will fulfill. Referees must have good knowledge of the rules as applied in the tournament, and the operator of the GameController must be experienced in using that software. The persons should be selected among the more senior members of a team, and preferably have prior experience with games in the RoboCup Standard Platform league.

After each game, the captain of each team playing will decide whether to recommend the head referee and GameController and/or the assistant referees to officiate the finals. These rankings will help select the officiating crew for the finals and other games near the end of the tournament.

In each game, each of the teams playing shall be able to veto one and only one eligible referee with no reason required.

## **B.4 Subsequent Year Pre-Qualification Procedure**

Teams may become pre-qualified for the subsequent year's team competition via the following means:

- Reaching the quarter-finals in the team competition
- Being selected to be on the 'SPL All Stars' drop-in team (i. e., finishing in the top five teams in the drop-in competition)
- Finishing in the top 3 overall in the technical challenges

If any team is pre-qualified via multiple means (e. g. by reaching the quarter final and winning the technical challenges), no other teams move up in their place.

However, teams pre-qualified via the above means must do all of the following in order to remain pre-qualified:

- Participate in the drop-in competition, submit a short explanation of their drop-in player strategy by the end of the final competition day, and not finish with a negative average judge score (before normalization) or negative average game result (before normalization)
- Post in a publicly available location a team research report describing their work for the 2015 competition
- Submit a shortened application as required by the call for participation for the subsequent year's competition

Teams that reach the quarter-finals in the team competition must also publicly release code, either in the form of a complete release (perhaps without behavior) or limited libraries, in order to be pre-qualified for the subsequent year's competition. This release must be documented and coded in a way where it can be used by others.

---

## **B.5 Penalty for Failing to Referee when Assigned**

A schedule will be released regarding the games for which each team is required to provide two referees. These referees should report to the field on which the game they are to referee is to be played at least five minutes before the game is scheduled to start.

Each time a team fails to provide two referees for a game in which they are scheduled to provide referees, it will be noted by the organizing committee. Failing to provide referees when assigned is a serious offense that will not only cost you pre-qualification for the subsequent year if your team has otherwise earned pre-qualification, but will also severely effect your team's chances of being accepted the following year.

A team may swap refereeing duties with another team, but the team listed on the referee schedule will be held accountable if referees fail to appear for a game they are scheduled to referee.

The requirement to referee may be an extreme hardship for extremely small teams. If a team believes providing two referees for games will be an extreme hardship, they must send an email explaining their situation to the Organizing Committee and Technical Committee at least two weeks before the first set up day of the competition. The Organizing and Technical Committees will then consider the request and attempt to find an acceptable solution.



---

## C Changes From 2014

This is a brief list of rule changes from 2014 to 2015.

### Setup of the Environment

- Changed color of goals from yellow to white. Goal supports should be white, gray, or black. (Section 1.1)
- Lighting irregularities, including changes that occur during the competition, are acceptable and will not be cause for delay. Such irregularities may include sun streaming through windows, light bulbs turning off, light bulbs being replaced, etc. (Section 1.4)

### Robot Players

- Removed restrictions about NAO robots with actuated hands, i. e. goalkeepers are now allowed to hold or block the ball by using their fingers. (Section 2.1)
- The coaching robot must be connected via a cable to the GameController. (Section 2.4)
- The coaching robot may sit or kneel. (Section 2.4)
- Teams may design their own jerseys, subject to some restrictions. (Section 2.5)
- Coach may use acoustic communication. (Section 2.6.1)
- No team or robot should listen into another team's communication. (Section 2.6.2)
- Removed some networking details. Robots are not allowed to connect to access points on fields that currently host official games of other teams. (Section 2.6.2)
- Each team will also be allocated a single UDP port on which broadcast will be permitted. Specifically, a team's port will be 10000 plus that team's GameController number. (Section 2.6.2)
- Coach messages can have a maximum size of 81 bytes. Messages will not be delayed. (Section 2.6.2)

---

## Game Process

- Describe what happens if a robot is fallen in *Set*. (Section 3.2)
- Removed displaying and changing (via foot bumper) of the team color. (Section 3.1)
- In the quarter finals and onward, the GameController Playing signal will be delayed by 15 seconds. The referee will announce the start of the Playing state with a short whistle blow. The referee may choose to use any normal sports whistle. Robots that begin moving their legs or locomoting in any fashion during *set* (i. e., before the referee blows the whistle) will be penalized in place on the field until the GameController transmits the Playing signal. Note that responding to a whistle on another field, although unlikely and poor luck, will result in this penalty. (Section 3.2)
- In case of an invalid own goal, the game will proceed with a throw-in. (Section 3.3)
- After kick-off both teams are not allowed to score from within the center circle. (Section 3.7)
- The goal keeper is no longer required to have its feet inside the goal box during *set*. (Section 3.7)
- Removed text about team color configuration when returning from a *request for pickup*. (Section 3.10)
- Teams may call one timeout before a penalty shootout or between penalty kicks if the penalty shootout directly follows a game, and they did not use their timeout during the game. (Section 3.11)
- Updated the forfeiting rules to consider forfeits that occur well before the game is scheduled to occur. (Section 3.14)
- Robots may be replaced after each penalty kick attempt if desired. (Section 3.15.1)

## Forbidden Actions and Penalties

- The ‘Kick-off shot’ penalty is now applied to both teams, if they kicked the ball into the goal before it has left the center circle. A kick-off shot does not result into a new kick-off but into the application of the standard removal penalty to the kicking robot. (Section 4.5)
- When a ball becomes stuck between a robot’s legs, the head referee should call ‘clear ball’ and an assistant referee should remove the ball. (Section 4.6)
- Walking into a fallen or getting up robot for 2 seconds is considered pushing unless one of the exceptions applies. (Section 4.10.2)
- Fingers entangled in the goal net are considered as ‘Leaving the Field’. (Section 4.13)

- 
- Two field players (instead of goalkeeper plus field player) are allowed to be inside the own penalty area at the same time. (Section 4.14)
  - Flash photography from the audience is allowable as long as the head referee believes the purpose of the flash is not to jam any of the robots. (Section 4.15)
  - Teams who used a different protocol or send too many messages over a couple of seconds in multiple games will be disqualified from the tournament (including technical challenges as well as the drop-in competition) and will also receive an entry in the penalty list. (Section 4.15)

## **Judgment**

- The head referee should not whistle to announce goals or penalties. Both should be indicated verbally, and goals should be indicated by the head referee pointing with one arm towards the center of the field. (Section 5.1)
- Updated the rules to reflect the fact that the assistant referees should handle judgments made by the head referee with regards to both robots and the ball. (Section 5.2)
- The GameController operator should react to the whistling at kick-off. (Section 5.3)

## **Drop-in Player Competition**

- Drop-in Competition games will consist of one 10 minute half. (Section A.2)
- Drop-in players who do not correctly fill in and update all of the fields in the standard message will not be able to play. The fields must be updated frequently. (Section A.2)
- Average game results will be considered instead of average goal differential when evaluating drop-in players. (Section A.3)
- 5 judges will be used for each drop-in game, where one judge will be head judge. (Section A.3)
- Judging criteria was simplified. (Section A.3)
- Average human judged score will account for  $\frac{2}{3}$  of a drop-in players score; average game result will account for the other  $\frac{1}{3}$ . (Section A.3)

---

## **The Official RoboCup Competition Rules**

- Simplified the referee evaluation process. (Section B.3)
- Prequalified teams must not finish with a negative average judge score (before normalization) or negative average game result (before normalization) in the Drop-in Competition (among other requirements) in order to remain prequalified. (Section B.4)